

Recommended Optics

Accurate as of:

28-Feb-25

For a current list, please contact your local sales representative or the VIAVI Technical Assistance Center. For the MSAM, CSAM, and T-BERD/MTS-5800, please refer to revision 52 of this list.

T-BERD/MTS-4800, -5800, MAP-2100, and OneAdvisor -800, -1000



21128094 Rev. 059

Test Application	4800	5800v2	5800-100G / MAP-2100 / ONA- 1000 100G	ONA- 1000 400G	ONA- 800 400G	ONA- 800 800G	VIAVI Part Number	Description	Manufacturer	Manufacturer Part Number	Active
C37.94		✓					CSFP-2M-8-1	SFP+ C37.94, 850 NM, 2km, MM	Coretek	CT-0155NSP-SB2LE 2M	✓
		✓					CSFP-2M-3-1	SFP+ C37.94, 1310 NM, 2km, SM	Coretek	CT-0155TSP-MB5LE 2M	✓
Electrical Ethernet	✓	✓	✓			✓	CSFP-1G-CU	SFP 10/100/1000M Electrical RJ45	Coherent (Finisar)	FCLF8521P2BTL	✓
	✓	✓	✓			✓	CSFPPLUS-10G-CU	SFP+ 10GBASE-T Electrical RJ45	Method	FCLF-8521-3	
100M Optical (100BaseFX)	✓	✓					CSFP-100M-3-1	SFP 100M, 1310nm, 2km, MM	FS.com	DM7051	
	✓	✓					CSFP-100M-3-2	SFP 100M, 1310nm, 10km, SM	Coherent (Finisar)	SFP-10G-T-AQ20	✓
	✓	✓					CSFP-100M-8-1	SFP 100M, 850nm, 300m, MM	Coherent (Finisar)	FTLF1217P2BTL	✓
									Source Photonics	SP-FE-FX-CDFM	
									Source Photonics	SP-FE-FX-CDFH	
									Coherent (Finisar)	FTLF1323P1BTR	✓
									Source Photonics	SP-FE-LX-CDFM	
									Source Photonics	SP-FE-LX-CDFH	
									APAC Opto	LM28-A3S-TC-N-DD	✓
									OE Solutions	RSP12SV5-ST1	✓
100M Eth Bi-Directional Optical (100BaseBX)	✓	✓					CSFP-100M-35-1B	SFP BIDI 100M, TX1310nm, RX1550nm, 10km, SM	OE Solutions	RSP12SV5-ST1	✓
	✓	✓					CSFP-100M-53-1B	SFP BIDI 100 M, TX1550nm, RX1310nm, 10km, SM	OE Solutions	RSP12SV5-ST1	✓
									OE Solutions	RSP12SV5-ST1	✓
									OE Solutions	RSP12SV5-ST1	✓
622M/155M (OC-12/STM-4 & OC-3/STM-1) SONET/SDH		✓	✓				CSFP-622M-3-1	SFP 155M - 622M, 1310nm, 15km, IR1	OE Solutions	RBTFSXLX-ST3	
									Source Photonics	FTM-9301C-SL20G	
									OE Solutions	RBTFSXLX-ST5	
									Source Photonics	FTM-9501C-SL20G	
		✓	✓				CSFP-622M-5-1	SFP 155M - 622M, 1550nm, 80km, LR2	Coherent (Finisar)	FTLF1322P1BTR	✓
									Coherent (Finisar)	FTRJ1322P1BTR	
									Oclaro	TRF5526AVLB300	
									Lumentum	SFP-PL2LKTDS5DCA	
									Coherent (Finisar)	FTLF1522P1BTL	✓
									Coherent (Finisar)	FTRJ1522P1BTL	
1G Ethernet & 1G Fiber Channel	✓	✓	✓			✓	CSFP-1G-CWDM-1271	SFP 1G Ethernet & 1G FC, 1271nm, 80km	Foundry Networks	FTLF1522P1BTL-F1	
	✓	✓	✓			✓	CSFP-1G-CWDM-1291	SFP 1G Ethernet & 1G FC, 1291nm, 80km	Source Photonics	SP-12-LR2-CDFM	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1311	SFP 1G Ethernet & 1G FC, 1311nm, 80km	OE Solutions	RSP06SL2-ST5	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1331	SFP 1G Ethernet & 1G FC, 1331nm, 80km	OE Solutions	RSP06SL2-ST5	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1351	SFP 1G Ethernet & 1G FC, 1351nm, 80km	OE Solutions	RSP06SL2-ST5	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1371	SFP 1G Ethernet & 1G FC, 1371nm, 80km	OE Solutions	RSP06SL2-ST5	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1431	SFP 1G Ethernet & 1G FC, 1431nm, 80km	OE Solutions	RSP06SL2-ST5	✓
	✓	✓	✓			✓	CSFP-1G-CWDM-1451	SFP 1G Ethernet & 1G FC, 1451nm, 80km	OE Solutions	RSP06SL2-ST5	✓
1G Ethernet, 1G/2G Fiber Channel 614M / 1.2G CPRI & 1.5G / 768M OBSAI	✓	✓	✓			✓	CSFP-2G-8-1	SFP 1G Ethernet & 2G/1G Fiber Channel, 850nm, 300m, SX 1.2G/614M CPRI, 1.5G/768M OBSAI	OE Solutions	RCP12SZX-S27	✓
									OE Solutions	RCP12SZX-S29	✓
									OE Solutions	RCP12SZX-S31	✓
									OE Solutions	RCP12SZX-S33	✓
									OE Solutions	RCP12SZX-S35	✓
									OE Solutions	RCP12SZX-S37	✓
									OE Solutions	RCP12SZX-S43	✓
									OE Solutions	RCP12SZX-S45	✓
	✓	✓	✓			✓	CSFP-2G-3-1	SFP 1G Ethernet & 2G/1G Fiber Channel, 1310nm, 10km, LX 1.2G/614M CPRI, 1.5G/768M OBSAI	Lumentum	PLRXPL-VI-S24-22	
									Coherent (Finisar)	FTRJ8519P1BNL	
1G Ethernet, 614M/1.2G CPRI, 768M/1.5G OBSAI Bi-Directional Optical (100BaseBX)									Coherent (Finisar)	FTLF8519P2BNL	
									Coherent (Finisar)	FTLF8519P3BNL	✓
	✓	✓	✓			✓	CSFP-2G-5-1	SFP 1G Ethernet & 2G/1G Fiber Channel, 1550nm, 80km, ZX 1.2G/614M CPRI, 1.5G/768M OBSAI	Lumentum	JSH-12L1DD1	
									Lumentum	JSH-21L3AR3	
									Coherent (Finisar)	FTRJ1319P1BTL	
									Coherent (Finisar)	FTLF1319P1BTL	
									Gigalight	GP-314G-L1CD	✓
									Lumentum	SFP-G12LKTDS5DCA	✓
									Coherent (Finisar)	FTLF1519P1BCL	✓
2.5G SONET/SDH, 622M/155M SONET/SDH (OC-48/STM-16, OC-12/STM-4, OC-3/STM-1) 1G Ethernet, OTN, 3.072G OBSAI	✓	✓	✓			✓	CSFP-1G-35-1B	SFP BIDI 1G Ethernet, 614M/1.2G CPRI, 768M/1.5G OBSAI, TX1310nm, RX1550nm, 10km, SM	OE Solutions	RBT12SLX-ST3	✓
	✓	✓	✓			✓	CSFP-1G-53-1B	SFP BIDI 1G Ethernet, 614M/1.2G CPRI, 768M/1.5G OBSAI , TX1550nm, RX1310nm, 10km, SM	OE Solutions	RBT12SLX-ST5	✓
	✓	✓	✓				CSFP-1G-34-1B	SFP BIDI 1G Ethernet, 614M/1.2G CPRI, 768M/1.5G OBSAI, TX1310nm, RX1490, 10km, SM	OE Solutions	RBT12SLX-ST3	
	✓	✓	✓				CSFP-1G-43-1B	SFP BIDI 1G Ethernet, 614M/1.2G CPRI, 768M/1.5G OBSAI, TX1490nm, RX1310, 10km, SM	Source Photonics	FTM-9612C-SL10G	
									OE Solutions	RBT12SLX-ST4	
									Source Photonics	FTM-9912C-SL10G	
									Lumentum	SFP-ML1LCTD3DCA	
									Lumentum	SFP-ML2LCTD3DCA	
2.5G SONET/SDH, 622M/155M SONET/SDH (OC-48/STM-16, OC-12/STM-4, OC-3/STM-1) 1G Ethernet, OTN, 3.072G OBSAI							CSFP-2G5-3-1	SFP 155M - 3.1G & 1G Ethernet & 2G/1G FC, 1310nm, 40km, LR1 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	Accelink	RTXM192-452	✓
									Accelink	RTXM192-452-C93	✓
									Coherent (Finisar)	FTLF1721P1BCL	
									Coherent (Finisar)	FTLF1721P2BCL	
									Molex/Oplink	TRPE48HL1CVIAE2G	
									Lumentum	CT2-ML1LBD31C1	
									Coherent (Finisar)	FTRJ1721P1BCL	
									Molex/Oplink	TRPA48L1HBRM	
									Lumentum	SFP-ML2LCTD5DCA	
									Lumentum	SFP-ML2LKT5DCA	
									Molex/Oplink	TRPE48HL2CVIAE2G	
									Coherent (Finisar)	FTLF1621P1BCL	
									Lumentum	CT2-ML2LBD51C4	
									Coherent (Finisar)	FTLF1621P2BCL	
									Foundry Networks	FTLF1621P2BCL-F1	
									Coherent (Finisar)	FTRJ1621P1BCL	
									Molex/Oplink	TRPE48HL2CVIAE2G	
									Molex/Oplink	TRXA48L2HBWM	

Test Application	4800	5800v2	5800-100G / MAP-2100 / ONA- 1000 100G	ONA- 1000 400G	ONA- 800 400G	ONA- 800 800G	VIABI Part Number	Description	Manufacturer	Manufacturer Part Number	Active
2.5G SONET/SDH, 622M/155M SONET/SDH (OC-48/STM-16, OC-12/STM-4, OC-3/STM-1) 1G Ethernet, OTN, 3.072G OBSAI		✓	✓				CSFP-2G5-5-2	SFP 155M - 2.7G & 1G Ethernet & 2G/1G FC, 1550nm, 15km, IR2	Lumentum	SFP-MI2LKTDS5DCA	
									Lumentum	CT2-MI2LBTDS3C2	
									Molex/Oplink	TRPE48E2VIAE2G	
									Coherent (Finisar)	FTLF1521P1BCL	
									Coherent (Finisar)	FTRJ1521P1BCL	
2.5G SONET/SDH, 622M/155M SONET/SDH (OC-48/STM-16, OC-12/STM-4, OC-3/STM-1) 1G Ethernet, 100BASE-X, OTN & 3.072G Optical CWDM		✓	✓			✓	CSFP-2G7-CWDM-1	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1471nm, 80km	OE Solutions	RCP31ML2-S47	✓
									Lumentum	SFP-ML2LCC47DCA	
		✓	✓			✓	CSFP-2G7-CWDM-2	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1491nm, 80km	OE Solutions	RCP31ML2-S49	✓
									Lumentum	SFP-ML2LCC49DCA	
		✓	✓			✓	CSFP-2G7-CWDM-3	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1511nm, 80km	OE Solutions	RCP31ML2-S51	✓
									Lumentum	SFP-ML2LCC51DCA	
		✓	✓			✓	CSFP-2G7-CWDM-4	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1531nm, 80km	OE Solutions	RCP31ML2-S53	✓
									Lumentum	SFP-ML2LCC53DCA	
		✓	✓			✓	CSFP-2G7-CWDM-5	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1551nm, 80km	OE Solutions	RCP31ML2-S55	✓
									Lumentum	SFP-ML2LCC55DCA	
		✓	✓			✓	CSFP-2G7-CWDM-6	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1571nm, 80km	OE Solutions	RCP31ML2-S57	✓
									Lumentum	SFP-ML2LCC57DCA	
2.5G SONET/SDH, 622M/155M SONET/SDH (OC-48/STM-16, OC-12/STM-4, OC-3/STM-1) 1G Ethernet, 100BASE-X, OTN & 3.072G Optical DWDM		✓	✓				CSFP-2G7-CWDM-7	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1591nm, 80km	OE Solutions	RCP31ML2-S59	✓
									Lumentum	SFP-ML2LCC59DCA	
		✓	✓			✓	CSFP-2G7-CWDM-8	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1611nm, 80km	OE Solutions	RCP31ML2-S61	✓
									Lumentum	SFP-ML2LCC61DCA	
		✓	✓				CSFP-3G1-DWDM-23	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1558.98nm, 120km	Lumentum	SFP-DA21CS00C-23	
		✓	✓				CSFP-3G1-DWDM-25	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1557.36nm, 120km	Lumentum	SFP-DA21CS00C-25	
		✓	✓				CSFP-3G1-DWDM-27	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1555.75nm, 120km	Lumentum	SFP-DA21CS00C-27	
		✓	✓				CSFP-3G1-DWDM-31	SFP 3.1G - 100M & 1G Ethernet & 2G/1G FC, 1552.52nm, 120km	Lumentum	SFP-DA21CS00C-31	
4G / 2G / 1G Fiber Channel, 1G Ethernet, 3.072G / 2.4G / 1.2G / 614M CPRI, 3.072G/1.5G/768M OBSAI		✓	✓				CSFP-4G-8-1	SFP 4G/2G/1G Fiber Channel & 1G Ethernet, 850nm, 150-500m, SX 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	Lumentum	PLRXPL-VE-SG4-62	
									Broadcom (Avago)	AFBR-57R5APZ	✓
									Coretek	CT-4250NSP-SB1L-D	
									Coherent (Finisar)	FTLF8524P2BNV	✓
	✓	✓	✓				CSFP-4G-3-1	SFP 4G/2G/1G Fiber Channel & 1G Ethernet, 1310nm, 5km @ 4G FC, 10km < 4G, 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	Gigalight	GP-314G-L1CD	✓
									Lumentum	JSH-42L4DD1	
									Coherent (Finisar)	FTFL1424P2BCD	
	✓	✓	✓				CSFP-4G-3-2	SFP 4G/2G/1G Fiber Channel & 1G Ethernet, 1310nm, 20km, LX 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	Lumentum	JSH-42L3AD3-20	
									Coherent (Finisar)	FTFL1424P2BCV	
10G SONET/SDH (OC-192/STM-64), 10G Ethernet, 8G/10G Fiber Channel, OTN & CWDM, 9.8G CPRI		✓	✓				CSFPPLUS-10G-T-1	SFP+ 9.95G - 11.3G & 10G Ethernet & 8G/10G FC, 50GHz C-Band tunable, 80km, LR2, APD, 9.8G CPRI	Lumentum	JST01TMAG1CY5GE2	
									Lumentum	JST01TMAG1CY5GE3	
		✓	✓			✓	CSFPPLUS-1G-10G-T-1	SFP+ 1G - 11.3G & 10G Ethernet & 8G/10G FC, 50GHz C-Band tunable, 80km, LR2, APD, 9.8G CPRI	Coherent (Finisar)	FTLX6872MCC	✓
8G/4G/2G Fiber Channel, 6G/4.9G/3.072G/2.4G CPRI & 6G/3.072G OBSAI		✓	✓				CSFPPLUS-8G-8-1	SFP+ 8G/4G/2G Fiber Channel CPRI 850nm MM, 150-500m 6G/4.9G/3.072G/2.4G CPRI & 6G/3.072G OBSAI	Lumentum	PLRXPL-VC-SH4-23-N	
									Broadcom (Avago)	AFBR-57D9AMZ	✓
									Coherent (Finisar)	FTLF8528P3BCV	✓
		✓	✓				CSFPPLUS-8G-3-1	SFP+ 8G/4G/2G Fiber Channel CPRI 1310NM SM, 10km 6G/4.9G/3.072G/2.4G CPRI & 6G/3.072G OBSAI	Lumentum	JSH-85L3DA1-10	✓
									Coherent (Finisar)	FTFL1428P2BNV	✓
									Broadcom (Avago)	AFCT-57D5ATPZ	✓
10G SONET/SDH, (OC-192/STM-64), OTU2 & OTU2e		✓	✓			✓	CSFPPLUS-10G-3-1	SFP+ 9.95G - 11.3G & 10G Ethernet & 8/10G FC 1310nm 10km, SR1	Coherent (Finisar)	FTLX1472M3BCL	✓
									Molex/Oplink	TPP2XGD51C000E2G	✓
		✓	✓			✓	CSFPPLUS-10G-5-1	SFP+ 9.95G - 11.3G & 10G Ethernet & 8/10G FC 1550nm 40km, IR2	Coherent (Finisar)	FTLX1672M3BCL	✓
									OE Solutions	RSPX0SER-ST5C	✓
		✓	✓			✓	CSFPPLUS-10G-5-2	SFP+ 9.95G - 11.3G & 10G Ethernet & 8/10G FC 1550nm 80km, LR2	Molex/Oplink	TPP7XGG2CVIAE2G	✓
									Coherent (Finisar)	FTLX1871M3BCL	✓
1G/10G Ethernet, 1G/10G Fiber Channel & 9.8G CPRI		✓	✓				SFPPLUS-1GE-10GE-8-1	SFP+ 1G / 10G Ethernet 850nm MM, 300m 1000BASE-SX 1G & 10GBASE-SR/SW, 1G/10G Fibre Channel & 9.8G CPRI	Coherent (Finisar)	FTLX8574D3BCV	
									Coherent (Finisar)	FTLX8571D3BCV	
									Broadcom (Avago)	AFBR-709DMZ	
									Coherent (Finisar)	FTLX1471D3BCV	
		✓	✓			✓	SFPPLUS-1GE-10GE-3-1	SFP+ 1G / 10G Ethernet 1310nm SM 10km 1000BASE-LX 1G & 10GBASE-LR/LW, 1G/10G Fiber Channel & 9.8G CPRI	Coherent (Finisar)	FTLX1475D3BCL	✓
									Coherent (Finisar)	FTLX1475D3BTL	✓
									Broadcom (Avago)	AFCT-701SDDZ	
1G to 10G CPRI, OBSAI, Ethernet and 8G Fiber Channel		✓	✓			✓	CSFPPLUS-1G-10G-8-1	SFP+ 1G to 10G Multirate CPRI, OBSAI, Ethernet and 8G Fiber Channel 850nm MM 300m	Coherent (Finisar)	FTLX8573D3BTL	✓
									Coherent (Finisar)	FTLX8574D3BCL	✓
									OE Solutions	RSPX0SSR-ST1	✓
									OE Solutions	RSPX0SSR-ET1	✓
									OE Solutions	RSPX0SSR-IT1	✓
									Coherent (Finisar)	FTLX1471D3BTL	
									Coherent (Finisar)	FTLX1471D3BNL	
		✓	✓			✓	CSFPPLUS-1G-10G-3-1	SFP+ 1G to 10G Multirate CPRI, OBSAI, Ethernet and 8G Fiber Channel 1310nm SM 10km	Coherent (Finisar)	FTLX1475D3BCL	✓
									Coherent (Finisar)	FTLX1475D3BTL	✓
									OE Solutions	RSPX0SLR-ST3	✓
									OE Solutions	RSPX0SLR-ET3	✓
									OE Solutions	RSPX0SLR-IT3	✓
		✓	✓			✓	CSFPPLUS-1G-10G-5-1	SFP+ 1G to 10G Multirate CPRI, OBSAI, Ethernet and 8G Fiber Channel 1550nm SM 40km	Coherent (Finisar)	FTLX1671D3BTL	✓
									OE Solutions	RSPX0SER-ST5	✓
									OE Solutions	RSPX0SER-ET5	✓
									OE Solutions	RSPX0SER-IT5	✓

Test Application	4800	5800v2	5800-100G / MAP-2100 / ONA- 1000 100G	ONA- 1000 400G	ONA- 800 400G	ONA- 800 800G	VIAlVI Part Number	Description	Manufacturer	Manufacturer Part Number	Active
1G/10G Ethernet, 1G/10G Fiber Channel & 9.8G CPRI		✓	✓				SFPPLUS-1GE-10GE-8-1	SFP+ 1G / 10G Ethernet 850nm MM, 300m 1000BASE-SX 1G & 10GBASE-SR/SW, 1G/10G Fibre Channel & 9.8G CPRI	Coherent (Finisar)	FTLX8574D3BCV	
									Coherent (Finisar)	FTLX8571D3BCV	
									Broadcom (Avago)	AFBR-709DMZ	
		✓	✓			✓	SFPPLUS-1GE-10GE-3-1	SFP+ 1G / 10G Ethernet 1310nm SM 10km 1000BASE-LX 1G & 10GBASE-LR/LW, 1G/10G Fiber Channel & 9.8G CPRI	Coherent (Finisar)	FTLX1471D3BCV	
									Coherent (Finisar)	FTLX1475D3BCL	✓
									Coherent (Finisar)	FTLX1475D3BTL	✓
									Broadcom (Avago)	AFCT-701SD0Z	
10G Ethernet, 1270nm/1330nm bi- directional		✓	✓			✓	CSFPPLUS-10G-23-1B	SFP+ 10G Ethernet 1270nm/1330nm SM 10km	OE Solutions	RBTX05LR-S27	✓
		✓	✓			✓	CSFPPLUS-10G-32-1B	SFP+ 10G Ethernet 1330nm/1270nm SM 10km	OE Solutions	RBTX05LR-S33	✓
25G/10G Ethernet, 10G to 24G CPRI			✓			✓	CSFP28-25G-8-1	SFP28 25G Ethernet 850nm MM 70 to 100m	II-VI (Finisar)	FTLF8536P5BCL	✓
							CSFP28-25G-3-1	SFP28 25G Ethernet 1310nm SM 10km	II-VI (Finisar)	FTLF8536P4BCL	
			✓			✓	CSFP28-10G-25G-3-1	SFP28 25G Ethernet, CPRI Option 7/8/9/10 1310nm SM 10km	Molex/Oplink	1837200013	✓
									Molex/Oplink	TPP1E2JLRC000E3G	
25G/10G Ethernet, 1270nm/1330nm bi- directional		✓	✓			✓	CSFP28-25G-23-1B	SFP+ 10G Ethernet 1270nm/1330nm SM 10km	OE Solutions	RQ72XMLR-S27	✓
		✓	✓			✓	CSFP28-25G-32-1B	SFP+ 10G Ethernet 1330nm/1270nm SM 10km	OE Solutions	RQ72XMLR-S33	✓
32G/16G/10G/8G Fiber Channel, 10G Ethernet		✓	✓				CSFPPLUS-16G-8-1	SFP+ 16G/10G/8G/4G Fiber Channel, 10G Ethernet 850nm MM 35m to 100m	Coherent (Finisar)	FTLF8529P3BCV	
									Coherent (Finisar)	FTLF8529P4BCV	✓
		✓	✓				CSFPPLUS-16G-3-1	SFP+ 16G/10G/8G/4G Fiber Channel, 10G Ethernet 1310nm SM 10km	Coherent (Finisar)	FTLF1429P3BNV	✓
			✓				CSFP28-32G-8-1	SFP28 32G/16G/8G Fiber Channel 850nm MM 70 to 100m	Coherent (Finisar)	FTLF8532P4BCV ^(Note 6)	✓
			✓				CSFP28-32G-3-1	SFP28 32G/16G/8G Fiber Channel 1310nm SM 10km	Coherent (Finisar)	FTLF1432P3BCV	✓
40G Ethernet & OTU3			✓			✓	CQSFP-40G-8-4	QSFP+ 40G Ethernet 40GBASE-SR4 850NM 100M Single 1x12 MPO receptacle	Lumentum	JQP-04SWAA1	✓
									Coherent (Finisar)	FTL410QE2C	
									Coherent (Finisar)	FTL410QE4C	✓
									Broadcom (Avago)	AFBR-79EQDZ	✓
									Lumentum	JQP-04LMAA1	
			✓			✓	CQSFP-43G-3-4	QSFP+ 40GE & OTU3, 1310nm, 4A, 10km, LC, SM 40GBASE-LR4	Lumentum	JQP-04LMAA1	
									Sumitomo	SQF0426L4NLGL	
									Coherent (Finisar)	FTL4C1QM1C	
			✓			✓	CQSFP-43G-3-4-ER4	QSFP+ 40GE & OTU3, 1310nm, 4A, 40km, LC, SM 40GBASE-ER4	Innolight	TR-QQ13L-N00	✓
									Coherent (Finisar)	FTL4E1QE1C	✓
50G Ethernet			✓				CQSFP-50G-3-1-LR	QSFP28 50G Ethernet, 1310nm, 1A, 10km, LC, SM, 50GBASE-LR	Source Photonics	SPQ-50E-LR-CDFA	✓
				✓	✓	✓	CSFP56-50G-3-1-LR	SFP56 50G Ethernet, 1310nm, 10km, LC, SM 50GBASE-LR	Eoptlink	EOLP-1350G-10-R	✓
64G Fiber Channel				✓	✓	✓	CSFP56-64G-8-1-SR	SFP28 64G/32G/16G Fiber Channel, 850nm, 100m, LC, MM	Broadcom (Avago)	AFBR-57H5MZ	✓
100G Ethernet & OTU4 CFP2 and CFP4			✓				CCFP4-112G-3-4	CFP4 100GE & OTU4, 1310nm, 4A, LC, SM 100GBASE-LR4 + G.959.1	Molex/Oplink	CP41C04L2CVIAE2G	
									Coherent (Finisar)	FTLC1141SDNL	✓
									Lumentum	JC4-10LMMAA1	
100G Ethernet & OTU4 QSFP28			✓	✓	✓	✓	CQSFP-112G-3-4-LR4	QSFP28 100GE & OTU4, 1310nm, 4A, LC, SM 100GBASE-LR4 + G.959.1	Coherent (Finisar)	FTLC1151SDPL	
									Coherent (Finisar)	FTLC1154SDPL	✓
									Coherent (Finisar)	FTLC1156SDPL	✓
									Oplink	QTATC04L2C000E2G	✓
									Source Photonics	SPQ-CS-LR-CDFA	✓
									Eoptlink	EOLQ-161HG-10-LA ^(Note 5)	
									Eoptlink	EOLQ-161HG-10-LB ^(Note 5)	
			✓	✓	✓	✓	CQSFP-103G-8-4-SR4	QSFP28 100GE, 850nm, 4 fibers, MPO, MM 100GBASE-SR4	Coherent (Finisar)	FTLC9551REPM ^(Note 6)	
									Coherent (Finisar)	FTLC9555REPM ^(Note 6)	
									Coherent (Finisar)	FTLC9558REPM ^(Note 6)	✓
			✓	✓	✓	✓	CQSFP-112G-8-4-SR4	QSFP28 100GE & OTU4, 850nm, 4 fibers, MPO, MM 100GBASE-SR4	Coherent (Finisar)	FTLC9555SEPM ^(Note 6)	✓
			✓	✓	✓	✓	CQSFP-103G-3-4-CWDM4	QSFP28 100GE, 1310nm, 4A, LC, SM 100G CWDM4	Lumentum	LQ210CR-CAA1 ^(Note 6)	
									Coherent (Finisar)	FTLC1155RGPL ^(Note 6)	✓
			✓	✓	✓	✓	CQSFP-112G-3-4-CWDM4	QSFP28 100GE & OTU4 1310nm, 4A, LC, SM 100G CWDM4	Coherent (Finisar)	FTLC1152SGPL ^(Note 6)	
									Addon	160-9402-900 ^(Note 6)	✓
			✓	✓	✓	✓	CQSFP-103G-3-1-FR	QSFP28 100GE 1310nm, 1A, LC, SM 100G FR	Coherent (Finisar)	FTLC4352RJPL	✓
									Coherent (Finisar)	FTLC4352RJPL-1Y	✓
									Coherent (Finisar)	FTLC4351RJPL	
			✓	✓	✓	✓	CQSFP-103G-3-1-LR	QSFP28 100GE 1310nm, 1A, LC, SM 100G LR	Coherent (Finisar)	FTLC4353RJPL	✓
										FTLC4352RKPL-1Y	✓
										FTLC4353RKPL	✓
200G Ethernet QSFP56				✓	✓	✓	CQSFP-212G-3-4-FR4	QSFP-DD 200GE, 1310nm, 4A, 2km, LC, SM 200GBASE-FR4	Coherent (Finisar)	FTCC1112E2PCL	✓
400G Ethernet QSFP-DD				✓	✓	✓	CQSFPDD-425G-3-8-FR8	QSFP-DD 400GE, 1310nm, 8A, 2km, LC, SM 400GBASE-FR8	Coherent (Finisar)	FTCD1333E1PCL	✓
				✓	✓	✓	CQSFPDD-425G-3-4-FR4	QSFP-DD 400GE, 1310nm, 4A, 2km, LC, SM 400GBASE-FR4	Innolight	T-DQ4CNT-N00	✓
				✓	✓	✓	CQSFPDD-425G-3-4-DR4	QSFP-DD 400GE, 1310nm, 4A, 2km, MPO, SM 400GBASE-DR4+	Innolight	T-DP4CNH-N00	✓
				✓	✓	✓	CQSFPDD-425G-3-4-LR4	QSFP-DD 400GE, 1310nm, 4A, 10km, LC, SM 400GBASE-LR4	Innolight	T-DQ4CNL-N00	✓
				✓	✓	✓	DT-COSFPDD-ZR-A	QSFP-DD 400GE, Tunable, 80km, LC, SM 400G ZR+	Cisco	DP04QSD0-HE0-001	✓
400G Ethernet OSFP					✓	✓	COSFP-425G-3-4-FR4	OSFP 400GE, 1310nm, 4A, 2km, LC, SM 400GBASE-FR4	Eoptlink	EOLQ-164HG-02	✓
800G Ethernet QSFP-DD						✓	COSFPDD-850G-3-4-2FR4	QSFP-DD 800GE, 1310nm, 4A, 2km, LC, SM 2x400GBASE-FR4	Source Photonics	SPQ-8E2-FR-CDFOB	✓
						✓	COSFPDD-850G-3-8-DR8	QSFP-DD 800GE, 1310nm, 4A, 2km, MPO, SM 800GBASE-DR8+	Coherent (Finisar)	FTCE4528E1PCM	✓
									Source Photonics	SPQ-8E8-DR-CDFOB	✓
800G Ethernet OSFP						✓	COSFP-850G-3-4-2FR4	OSFP 800GE, 1310nm, 4A, 2km, LC, SM 2x400GBASE-FR4	Source Photonics	SPQ-8E2-FR-CDFOB	✓
						✓	COSFP-850G-3-8-DR8	OSFP 800GE, 1310nm, 4A, 2km, MPO, SM 800GBASE-DR8+	Coherent (Finisar)	FTCE4527E1PCM	✓
									Source Photonics	SPQ-8E8-DR-CDFOE	✓
Compatible Pluggable Modules (Not sold by VIAVI) ²											
1G to 10G CPRI, 1G to 10G Ethernet, Bi-di		✓	✓				N/A	SFP+, 1G to 10G Multirate CPRI and Ethernet, Tunable DWDM, Bi-di SM 20km	HFR	FTLB8611P3NC-HQ1	
		✓	✓				N/A	SFP+, 1G to 10G Multirate CPRI and Ethernet, Tunable DWDM, Bi-di SM 20km	HFR	FTLB8611P3CC-HR1	
25G Ethernet, 24G CPRI			✓				N/A	SFP28 25G Ethernet, 24G CPRI Tunable DWDM SM 15 km	HFR	FTLB8636P1BNL-HR	

Test Application	4800	5800v2	5800-100G / MAP-2100 / ONA- 1000 100G	ONA- 1000 400G	ONA- 800 400G	ONA- 800 800G	VIAVI Part Number	Description	Manufacturer	Manufacturer Part Number	Active
Direct Attach SFP+	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 1 Meter, passive	Cisco	SFP-H10GB-CU1M	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 3 Meter, passive	Cisco	SFP-H10GB-CU3M	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 5 Meter, passive	Cisco	SFP-H10GB-CU5M	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 7 Meter, active	Cisco	SFP-H10GB-CU7M	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 5 Meter, passive	Cisco	74752-9047	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 5 Meter, passive	Tyco Electronics	2032237-6	
	✓	✓	✓				N/A	10GBASE-CU SFP+ Cable 2 Meter, passive	Tyco Electronics	2032246-3	
1G/10G Ethernet, 1G/10G Fiber Channel & 9.8G CPRI		✓	✓				N/A	SFP+ 1G / 10G Ethernet 850nm MM, 300m 1000BASE-SX 1G & 10GBASE-SR/SW, 1G/10G Fibre Channel & 9.8/6.1/4.9/3.1/2.4G CPRI	APAC Opto	APSP85B3CDL03	
10G Ethernet, 10G Fiber Channel & 10G CPRI		✓	✓				N/A	SFP+ 10G Ethernet, 10G FC, 10G CPRI 1270nm Tx 1330 Rx, Bi-di 10km	Lightron	WSPXG-ES3LC-IHA	
		✓	✓				N/A	SFP+ 10G Ethernet, 10G FC, 10G CPRI 1330nm Tx 1270 Rx, Bi-di 10km	Lightron	WSPXG-HS3LC-IEA	
10G SONET/SDH, (OC-192/STM-64), OTU2 & OTU2e		✓	✓				N/A	SFP+ 9.95G - 11.3G & 10G Ethernet & 10G FC 1310nm 10km, SR1	NeoPhotonics	PT7420-81-ED+	
		✓	✓				N/A	SFP+ 9.95G - 11.3G & 10G Ethernet & 8/10G FC 1550nm 40km, IR2	NeoPhotonics	PT7620-81-ED+	
2.5G SONET/SDH, 622M/155M SONET/SDH 1G Ethernet, OTN	✓	✓	✓				N/A	SFP 155M - 2.7G & 1G Ethernet & 2G/1G FC, 1550nm, 15km, IR2	NeoPhotonics	PT7620-61-2W+	
	✓	✓	✓				N/A	SFP 155M - 3.1G & 1G Ethernet & 2G/1G FC, 1310nm, 40km, LR1, 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	NeoPhotonics	PT7720-61-3W+	
Ericsson SFP/SFP+		✓	✓				N/A	SFP+ 10G CPRI 1310nm RDH 102 65/2	Ericsson/Oclaro	TRS5013WV-0043	
		✓	✓				N/A	SFP+ 10G CPRI 1310nm RDH 102 65/3	Ericsson/Oclaro	TRS5021EV-SB01	
		✓	✓				N/A	SFP+ 10G CPRI 1310nm RDH10265/2 R1A	Ericsson/Coherent (Finisar)	FTLX1370W3BTL-E7	
	✓	✓	✓				N/A	SFP 3.1G CPRI 1310nm RDH 102 47/2	Ericsson/Delta	LCP-2488B4HRT-E	
Nokia/ALU SFP/SFP+		✓	✓				N/A	SFP+ 1AB42938001 CPRI 2-8 SMDF 6.144G 15km S01.01	ALU/WTD	RTXM228-618-AW	
		✓	✓				N/A	SFP+ 1AB187280065 3G 15 km S-16.1/CPRI 1-4 S1.1	ALU/WTD	RTXM192-436-AW	
		✓	✓				N/A	SFP+ 1AB41006001 CPRI 3-7 9.8304G 10km I-temp S1.1	ALU/WTD	RTXM228-402-AW	
		✓	✓				N/A	SFP ALLU16-OF38000295	ALU/OE Solutions	PT7620-61-2W+	
		✓	✓				N/A	SFP ALLU15-FA29108489	ALU/Coherent (Finisar)	FTLF1421P1BTL-AW	
		✓	✓				N/A	SFP ALLU14-HL47002836	ALU/Source Photonics	SPP8FLRIDFFAW	
		✓	✓				N/A	SFP 155M - 3.1G & 1G Ethernet & 2G/1G FC, 1310nm, 40km, LR1, 3.072G/2.4G/1.2G/614M CPRI, 3.072G/1.5G/768M OBSAI	NeoPhotonics	PT7720-61-3W+	
CPRI and OBSAI	✓	✓	✓				N/A	SFP+ 1 GbE & 6.1G CPRI 1310nm SM, 10km, 6.1/4.9/3.1/2.4/1.2G CPRI, 3.072G/1.5G OBSAI	Coherent (Finisar)	FTLF1426P2BTL	
	✓	✓	✓				N/A	SFP+ 1G / 10G Ethernet 1310nm SM, 10km, 9.8/6.1/4.9/3.1/2.4/1.2G CPRI, 6.1G/3.072G/1.5G OBSAI	Coherent (Finisar)	FTLX147103BTL-E8	
Electrical Ethernet		✓	✓				N/A	SFP+ 2.5G/5G/10GBASE-T Electrical Ethernet RJ45	FS.com	SFP-10G-T-S	
64G Fiber Channel				✓	✓	✓	NA	SFP28 64G/32G/16G Fiber Channel, 850nm, 100m, LC, MM	Coherent (Finisar)	FTLF8564D1BCW	
400G Ethernet QSFP-DD				✓	✓	✓	N/A	QSFP-DD 400GE, 1310nm, 8A, 2km, LC, SM 400GBASE-LR8	Source Photonics	SPQ-4E-LR-CDFA	

Note: 1. SFP /SFP+ Optical interface recommendations for CPRI and OBSAI line rates as per document CPRI Interface Specification V5.0 and OBSAI RP3 specifications Version 4.2.
VIAVI T-BERD/MTS product line supports RX/TX rate select functionality implemented for SFP/SFP+ optical modules that are Rate Selectable as per SFF-8079, SFF-8431 and SFF-8472. Compliance to a particular optical standard is based on the manufacturer's datasheet, not the rate configurability of the optic.
2. For the MSAM2 (C0400-V2, C0404-V2, C1010-V2), SFP+ module support requires a SFP+ PIM.
3. These modules have been tested with the designated platform. They are not sold by VIAVI Solutions.
4. Requires use of appropriate CFP2 adapter from VIAVI Solutions. CFP2 to CFP4 adapter required for support of CFP4 modules. CFP2 to QSFP28 adapter required for QSFP28 modules.
5. When used on the OSAM with CFP2 to QSFP28 adapter, some circumstances may require that CDR bypass is enabled for the Tx and Rx side under expert mode settings for proper operation.
6. This optical reach requires forward error correction (FEC) in order to meet BER requirements. Depending on which standard is applicable, pre-FEC BER can be up to 5x10⁻⁶.



Network and Service Enablement

20250 Century Boulevard Floor 5

Germantown, Maryland 20874 USA

Toll Free 1-800-638-2049 • Tel +1-240-404-2999 • Fax +1-240-404-2195

www.viavisolutions.com

© Copyright 2025 VIAVI Solutions, Inc. All rights reserved.
VIAVI Solutions, JDSU, Enabling Broadband and Optical Innovation, ActiveMedia, Communications Test and Measurement Solutions, and their logos are trademarks of VIAVI Solutions, Inc.
All trademarks and registered trademarks are the property of their respective owners. Specifications, terms, and conditions are subject to change without notice.
Refer to your optic manufacturer's web site for detailed optical and product specifications.